

This regulation is proposed to be repealed. A licensed professional should not need to be reminded in regulation that being in responsible charge of work means adhering to the statutes and regulations relating to their profession and the work performed.

~~**[NAC 625.660 — Responsibility for compliance with standards of practice. (NRS 625.140, 625.250)**~~

~~Responsibility for adherence to the minimum standards of practice for engaging in the practice of land surveying rests with the professional land surveyor in responsible charge of the work. Failure on the part of any Nevada professional land surveyor to comply with these minimum standards may be considered by the Board as evidence of gross negligence, professional incompetence or misconduct in the practice of land surveying.~~

~~—(Added to NAC by Bd. of Reg'd Professional Eng'rs & Land Surv., eff. 7-18-88; A 7-10-92; A by Bd. of Professional Eng'rs & Land Surv., 11-14-97)~~

~~]~~

This regulation is proposed to be repealed. The regulation restates what is written in NAC 625.666 and therefore it is redundant and is not necessary.

~~[NAC 625.668 — Positional certainty: Horizontal and vertical positions of monuments. (NRS 625.140, 625.250)]~~

~~When conducting a land boundary, topographic, control or geodetic survey, a professional land surveyor shall ensure that the horizontal and vertical positions of the monuments established by the surveyor comply with the requirements for positional certainty set forth in NAC 625.666.~~

~~— (Added to NAC by Bd. of Professional Eng'rs & Land Surv., eff. 11-14-97)~~

~~]~~

DRAFT

This regulation is proposed to be repealed. Item 1 states the obvious—that is the duty of a professional land surveyor. Item 2 is already stated in NRS 625.380.

~~[NAC 625.690—Location of corners, boundaries and monuments. (NRS 625.140, 625.250)~~

~~—1.—The professional land surveyor shall make a final analysis and reach a conclusion as to the most probable location of corner positions and boundary lines.~~

~~—2.—A professional land surveyor shall set monuments pursuant to the provisions of NRS 625.380 and all applicable local ordinances.~~

~~—(Added to NAC by Bd. of Reg'd Professional Eng'rs & Land Surv., eff. 7-18-88; A 7-10-92; A by Bd. of Professional Eng'rs & Land Surv., 11-14-97)~~

~~]~~

DRAFT

This regulation is proposed to be repealed. This regulation is not necessary. Positional certainty related to construction surveys is addressed in other regulations.

~~[NAC 625.765 — Establishment of final location of points. (NRS 625.140, 625.250)]~~

~~When conducting a construction survey, a professional land surveyor shall establish the final location of points within positional certainties which ensure that the proposed fixed works may be properly constructed.~~

~~-~~

~~—(Added to NAC by Bd. of Professional Eng'rs & Land Surv., eff. 11-14-97)~~

~~]~~

DRAFT

This regulation is recommended to be repealed. The regulation is outdated and no longer applicable/necessary.

~~[NAC 625.795—Duties regarding geographic information systems. (NRS 625.140, 625.250)~~

~~—1.—When contributing information to a geographic information system, a professional land surveyor must include for use as metadata a statement describing the positional certainty of each type of information contributed to the system by the professional land surveyor.~~

~~—2.—When advising the developers of a geographic information system, a professional land surveyor must make recommendations concerning the appropriate methods for:~~

~~—(a) Conducting a survey for the development of the system; and~~

~~—(b) Compiling data for the contribution of additional information to the system after it is developed.~~

~~—3.—A professional land surveyor shall comply with the provisions of NAC 625.651 to 625.795, inclusive, when conducting surveys to collect information that will be included in a geographic information system.~~

~~—4.—As used in this section:~~

~~—(a) “Geographic information system” means a collection of computer hardware, software and data that is used for the collection, management, manipulation, analysis and display of information that includes a positional component.~~

~~—(b) “Metadata” means data that describes information used to describe an object.~~

~~—(Added to NAC by Bd. of Professional Eng'rs & Land Surv., eff. 11-14-97)~~

]